

Erosamat Type 3

MSDS NOVEMBER 2017

1) Identification/Appearance	Large roll of tangled plastic fibre mat. Email: production@abgltd.com Emergency contact: 01484 852992 (08:30-17:00 Monday-Friday)
2) Possible Hazard	None No toxic chemicals
3) Composition	Polypropylene
4) First-aid measures	For molten or burning material treat as follows: Inhalation: In case of adverse exposure to vapours and/or aerosols formed at elevated temperatures, immediately remove affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Obtain prompt medical attention. Skin Contact: For molten product; immediately immerse in or flush the affected area with large amounts of cold water. Cover with clean dressing and seek prompt medical attention.
5) Fire-fighting measures	Use water spray, dry chemical or CO2 extinguisher. None explosive.
6) Accidental release measures	None required. No hazardous effects expected
7) Handling & Storage	No special storage required. Average roll weight 50kg.
8) Exposure controls and personal protection	None required.
9) Physical and chemical properties	Formed polypropylene. Odourless. Melting point approx. 160°C Flash point approx. 250°C Soluble in Phenole, Kresole, & Sulphuric Acid. Insoluble in water. Density 1.
10) Stability and reactivity	No hazardous reactions known In the case of fire CO and CO2 are produced plus sooty smoke.
11) Toxicological information	None toxic
12) Ecological information	Inert and does not decompose. Does not contain any substance known to damage the ozone layer.
13) Disposal	Treat as non-hazardous waste; landfill or incinerate. Product and packaging can be recycled.
14) Transport	No special requirements. No hazard.
15) Regulatory information	Special labelling not required.
16) Other	

The information contained in this MSDS is based on present knowledge and current legislation and provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. It is for the users to satisfy themselves of the suitability of this product for their own applications. This information is believed to be accurate at the time of printing and is given in good faith.